

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Frank Lorenz et al.
Appl. No.: PCT/DE2003/003616
Title: COMMUNICATION TERMINAL WITH CONFIGURED BANDWIDTH
EXPANSION, AND A METHOD FOR BANDWIDTH EXPANSION FOR
THIS PURPOSE
Docket No.: 112740-1075

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:

In accordance with the provisions of 37 C.F.R. 1.56, 37 C.F.R. 1.97, and 37 C.F.R. 1.98, Applicants request that a citation and examination of the references cited below, and on the attached PTO-1449 form be made during the course of examination of the above-identified application for United States patent. Pursuant to 37 C.F.R. 1.98, copies of all foreign patent documents and non-patent documents are enclosed.

FOREIGN PATENT DOCUMENTS

<u>Document No.</u>	<u>Date</u>	<u>Country</u>
GB 2 357 682	6-27-01	United Kingdom
WO 02/058088	7-25-02	PCT
DE 101 02 173	7-25-02	Germany

OTHER DOCUMENTS

XP 010520066 "Wideband extension of telephone speech using a hidden markov model" IEEE Workshop On Speech Coding, Proceedings, Meeting the Challenges of the New Millennium, 17, Sept. 2000, pages 133-135


German language reference DE 101 02 173 is provided with attached English abstract. Accordingly, no further statement is believed necessary.

Applicants look forward to early and favorable consideration of this matter.

Respectfully submitted,

BELL, BOYD & LLOYD LLC

BY


Peter Zura

Reg. No. 48,196

P.O. Box 1135

Chicago, Illinois 60690-1135

Phone: (312) 807-4208

Dated: May 9, 2005

WPI

09may05 15:19:32 User268673 Session D1189.2

Sub account: 112470-1075

\$0.00 0.089 DialUnits FileHomeBase

\$0.00 Estimated cost FileHomeBase

\$0.02 INTERNET

\$0.02 Estimated cost this search

\$0.13 Estimated total session cost 0.316 DialUnits

File 351:Derwent WPI 1963-2005/UD,UM &UP=200529

(c) 2005 Thomson Derwent

***File 351: For more current information, include File 331 in your search.**

Enter HELP NEWS 331 for details.

Set Items Description

--- -----

?

S PN=DE 10102173

S1 1 PN=DE 10102173

?

T S1/5

1/5/1

DIALOG(R)File 351:Derwent WPI

(c) 2005 Thomson Derwent. All rts. reserv.

014755748 **Image available**

WPI Acc No: 2002-576452/200262

XRPX Acc No: N02-456985

Method for converting speech signals of different bandwidth encoded parametrically into speech signals uses encoded speech signals with a first bandwidth or a second narrow bandwidth and a broadband decoder.

Patent Assignee: SIEMENS AG (SIEI)

Inventor: FINGSCHEIDT T; VARGA I

Number of Countries: 021 Number of Patents: 002

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
DE 10102173	A1	20020725	DE 1002173	A	20010118	200262 B
WO 200258055	A1	20020725	WO 2002DE28	A	20020108	200262

Priority Applications (No Type Date): DE 1002173 A 20010118

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes

DE 10102173 A1 7 G10L-019/00

WO 200258055 A1 G G10L-021/02

Designated States (National): CN US

Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT

LU

MC NL PT SE TR

Abstract (Basic): DE 10102173 A1

NOVELTY - Encoded speech signals (css) have a first broad bandwidth

(16kHz) or a second narrow bandwidth (8kHz). The encoded speech signals are decoded to match their bandwidth into speech signals (16kHz-ss) of broad bandwidth by means of a broadband decoder (WBQDC) or into speech signals (8kHz-ss) of narrow bandwidth by means of a narrow band decoder (NBQDC). During decoding parameters are determined for specifying the speech signals.

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for a system for converting speech signals of different bandwidth encoded parametrically into speech signals.

USE - In the Global System for Mobile Communications.

ADVANTAGE - Bandwidth is artificially widened. Parameters are turned into this when determined during decoding.

DESCRIPTION OF DRAWING(S) - The drawing shows a simplified run diagram for a method for converting speech signals of different bandwidth encoded parametrically into speech signals.

Encoded speech signals (css)
First broad bandwidth (16kHz)
Second narrow bandwidth (8kHz)
Speech signals of broad bandwidth (16kHz-ss)
Broadband decoder (WBQDC)
Speech signals of narrow bandwidth (8kHz-ss)
Narrow band decoder (NBQDC)
pp; 7 DwgNo 1/2

Title Terms: METHOD; CONVERT; SPEECH; SIGNAL; BANDWIDTH; ENCODE; PARAMETER;

SPEECH; SIGNAL; ENCODE; SPEECH; SIGNAL; FIRST; BANDWIDTH; SECOND; NARROW;

BANDWIDTH; BROADBAND; DECODE

Derwent Class: P86; U21; W04

International Patent Class (Main): G10L-019/00; G10L-021/02

International Patent Class (Additional): H03M-007/30; H04B-007/26

File Segment: EPI; EngPI

? logoff

[illegible][illegible]

Examiner's Initials		OTHER DOCUMENTS <i>(Including Author, Title, Date, Pertinent Pages, Etc.)</i>
		XP 010520066 "Wideband extension of telephone speech using a hidden markov model" IEEE Workshop On Speech Coding, Proceedings, Meeting the Challenges of the New Millennium, 17, Sept. 2000, pages 133-135

Examiner:	Date Considered:
<p>*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</p>	